

Selection Guide

DeltaCar-PC Stuttgart

DELTA COMPONENTS GmbH

Auweg 27 * D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

info@delta-components.de

www.delta-components.de

www.automotive-computing.com

Bitte laden Sie sich bei Bedarf [hier](#)
eine aktualisierte Fassung dieses
Dokuments herunter!

2 Artikel aus dem Bereich
DeltaCar-PC Stuttgart
wurden für das PDF ausgewählt.

Selection Guide DeltaCar-PC Stuttgart



DeltaCar-PC Stuttgart V1.3



DeltaCar-PC Stuttgart

Cooling System	Fan	Fan
Mounting System	DIN Slot	DIN Slot
CPU	Intel Atom N270 1.6GHz	Intel Pentium M 1.4GHz
CPU Socket	-	-
Chipset	Intel 945GSE/ICH7M	VIA VT8606/82C686B
BIOS	-	-
Watchdog Timer	-	-
Basic Equipment	-	256MB
Maximum Equipment	2GB	1GB
SDRAM	-	x
DIMM / MemorySocket	DDR2	-
CD-ROM	-	Optional
CD-RW	-	Optional
DVD-ROM	-	Optional
FDD	-	-
Compact Flash	optional	1x
SD	-	-
HDD	-	-
HD SATA	1x 2.5" SATA HDD	1x 2.5" SATA HDD
HD PATA	Optional	-
PCMCIA	optional	2x
Graphic Interface	1x VGA/CRT, 1x LCD-TTL, 1x LCD-LVDS	1x VGA/CRT, 1x LCD-TTL, 1x LCD-LVDS
Interface COM	2x RS232	2x RS232D
CAN	-	-
Interface USB	6x USB 2.0	1x USB 1.1, 3x USB 2.0
Interface IEEE1394	-	-
Interface LAN	1x 10/100 BASE-T	1x 10/100 BASE-T, Optional WLAN
Interface IO	-	-
Mini PCIe	-	-
Bluetooth	-	Optional
LPT	optional	1x
PS/2	1x	2x
Audio	Line-In, Line-Out, Mic-In, SPDIF	Line-In, Line-Out, Mic-In
Headphone	-	-
SIM Card	1x	1x
GPS	Optional	Optional
Mobile Communication 2G	-	Optional GSM+GPRS
Mobile Communication 3G	Optional UMTS	Optional UMTS
PCIe	-	-
PCI/104	-	-
Operating System	-	-
Input Voltage Min/Max	6 to 36VDC	8 to 16VDC
Output Voltage Min/Max	-	-
Input Power	-	-
Redundant Power Supply	-	Optional
Power Management	-	-
Operating Temperature	0°C to 60°C	0°C to 60°C
Extended Operating Temperature	-20°C to 60°C	-20°C to 60°C
Storage Temperature	-40°C to 80°C	-40°C to 80°C
Relative Humidity	10% to 90%	10% to 95%, non-condensing
Protection	IP20	IP20
Certification	e1 (Vehicle)	CE, e1 (Vehicle)
Dimensions	180 x 52 x 193 mm	196 x 180 x 52 mm
Weight	0.976kg	-
Material	Aluminum	Aluminum
Typ. Application	Automotive	Automotive
Bestellinformation	Artikel-Nr. PKKC1017 DeltaCar-PC Stuttgart V1.3, PC-Einheit zum Verbau in den Radio DIN-Schacht	Artikel-Nr. PKKC1015 DeltaCar-PC Stuttgart, Fahrzeugtauglicher PC mit PIC-Controller

DELTA COMPONENTS GmbH

Auweg 27 * D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

info@delta-components.de

<https://www.delta-components.de>

<https://www.automotive-computing.com>